



Breathe clean

by reducing greenhouse gas emissions from urban transport

Benoit Lefevre PhD, Director of Energy, Climate & Finance, WRI Ross Center for Sustainable Cities

Katrin Eisenbeiß, Young Professional, Deutsche Gesellschaft für Internationale Zusammenarbeit (GIZ)

Neha Yadav, Research Fellow, WRI Ross Center for Sustainable Cities

Angela Enriquez, Research Analyst, WRI Ross Center for Sustainable Cities

Key messages

- Air pollution not only diminishes the quality of life in cities around the world, but also threatens the prosperity of urban economies.
- Particularly hazardous for health are emissions of black carbon, a component of particulate matter, which is a known cause of respiratory and carcinogenic diseases and a significant contributor to global climate change.
- The clear links between greenhouse gas emissions and particulate matter make low carbon transport an increasingly sustainable investment at local level—both by reducing emission levels and thus mitigating climate change; and by improving public health through cleaner air.¹
- For example:
 - Congestion pricing in Stockholm, Sweden saves 14–18% of carbon dioxide equivalent emissions, cuts particulate matter by 9% and mono-nitrogen oxides by 7%—and generates revenue.
 - Policy proposals in the Kathmandu Valley to reduce particulate matter are aiming to reduce bronchitis cases and asthma attacks, bringing massive economic savings of US\$21 million for the nation, along with a major improvement in quality of life.

Introduction

This paper presents two case studies from cities that have taken action on air quality to improve public health and have realized the benefits of reduced emissions with the implementation of low carbon transport policies.

Also in the LEDS GP series on the benefits of reducing greenhouse gas emissions from urban transport:

- *Make roads safe*
- *Save money and time*
- *Create jobs*
- *Fight poverty*

This series of short papers aims to demonstrate how low carbon transport options can support national and local development agendas efficiently.

As well as accounting for 23% of the world's energy related greenhouse gas emissions, fossil fuel consumption by motorized transport releases exhaust fumes that contain particulate matter (PM) including black carbon, which is hazardous to human health and a contributor to climate change. Along with methane, tropospheric ozone and some hydrofluorocarbons, black carbon is one of the short lived climate pollutants.² These pollutants remain for a much shorter lifetime in the atmosphere than carbon dioxide (CO₂), but they account for 30–40% of today's global warming.³ In 2000, about 20% of global black carbon emissions were emitted from land

transport and international shipping sources.⁴ The United Nations Environment Programme estimates that each year 2.4 million premature deaths from outdoor air pollution could be avoided, and by 2050 global warming could be reduced by up to 0.5°C if short lived climate pollutants are mitigated promptly.⁵

Shifting to low carbon transport plays a crucial role in the fight against air pollution as transport accounts for 27% and 22% of total global PM_{2.5} and PM₁₀ emissions, respectively.⁶ Low carbon transport solutions would achieve three interlinked benefits:

- improve health and reduce premature deaths
- avoid the resulting loss of economic productivity and related healthcare costs
- slow the rate of near term climate change.

Epidemiological and toxicological studies find strong evidence that vehicle emissions are related to clinically significant health ailments.⁷ High atmospheric concentrations of tropospheric ozone and black carbon increase the risk of many respiratory and cardiac diseases—placing an immense burden on healthcare systems.⁸ Children, pregnant women, and the elderly are especially vulnerable to outdoor air pollution, with several severe impacts on their health and development.⁹ And a recent study showed that the risk of hospital readmission for children with asthma was 21% higher for children with high exposure to traffic related air pollution than for those with lower exposure.¹⁰


Particulate matter (PM) is a mixture of small particles of acids, organic chemicals, soil, metal, or dust, usually categorized by size: PM₁₀ (less than 10 micrometers in diameter) or PM_{2.5} (less than 2.5 micrometers in diameter). The human body cannot protect against exposure to ultra-fine particles like PM_{2.5}.


Case study

Congestion pricing in Stockholm, Sweden

Stockholm introduced a congestion pricing system in the inner city in 2006 to reduce traffic and vehicle pollution. The aim was to distribute the traffic flow entering the city center uniformly throughout the day and reduce congestion during peak hours. With a variable charging system, Stockholm achieved its goal of

Figure 1 Benefits of low carbon congestion pricing in Stockholm¹¹





cutting greenhouse gas emissions and improving the ambient air quality within the congestion zone.¹²

Entering the inner city area of Stockholm by private vehicle costs 15 krona¹³ (about US\$1.77) on workdays, with a doubling of the tax at peak hours. Between the evening and morning rush hour, as well as on weekends and holidays, driving into the congestion zone is free.¹⁴ The

congestion pricing system supports low carbon mobility patterns that save 14–18% of CO₂ equivalent emissions annually.¹⁵

Since 2008, the air quality stations in the city have registered a downward trend in PM₁₀.¹⁶ At the city's Hornsgatan station, PM₁₀ emissions reduced from 36.8 µg/m³ in 2008 to 25.7 µg/m³ in 2012.¹⁷ It was estimated that with the implementation of the congestion charge there would be 20–25 fewer deaths annually in the inner city and 25–30 fewer deaths in the metropolitan area.¹⁸

This variable pricing system allows the city to control the traffic flow in the congestion zone, and at the same time generates daily revenues of US\$500,000 to 2.7 million—money that is reinvested in low carbon transport options such as new bus lines and expansion of the bicycle lane network.¹⁹ This translated into an 18% reduction in traffic volumes in 2011, while the public transport system experienced a 9% increase in ridership compared with 2005, equivalent to 80,000 users per day.²⁰ In addition, the exemption of cars using alternative fuel from the congestion tax (along with taxis, buses, and foreign cars) incentivized increased ownership of low carbon vehicles. By 2008, 13% of vehicles registered in the congestion zone were alternative fuel cars, compared with only 3% during the trial phase in 2006.²¹ In an innovative revenue model, the funds generated through congestion pricing feed back into the loop, funding more low carbon transport solutions that are proven to improve air quality and public health.

Case study

Local air pollution management in Kathmandu Valley, Nepal*

With a gross national income of US\$260 per capita, Nepal is one of the poorest countries worldwide.²² Nepal is the fastest urbanizing country in South Asia with an annual growth rate of 7%.²³ The Kathmandu Valley is home to 1.8 million people, 30% of Nepal's population, and suffers from exposure to poor air quality.²⁴ The annual mean concentration of PM₁₀ in 2008 was 114 µg/m³, well above the World Health Organization (WHO) annual mean guideline of 50 µg/m³.²⁵

The rapid urban migration between 1998 and 2004 increased demand for motorized travel in the cities of the Kathmandu Valley 8.7-fold during this period, with a rapid increase of pollutants emitted by those vehicles. Projections predict that this trend will continue.²⁶ By 2030, the population is estimated to reach 3.3 million people, a development that goes hand in hand with a tripling of motorized travel demand by 2025.²⁷ This translates into an annual motorization rate of 12%,²⁸ such that the number of operating vehicles

* Facts presented in this case study are from studies completed prior to the April 2015 earthquake in Nepal. Some facts are likely to differ now.

on Kathmandu's roads will reach half a million compared with 170,000 vehicles in 2004,²⁹ bringing harmful quantities of air pollutants.

Public transport vehicles in Kathmandu Valley are mainly buses and minibuses. Public transport meets 37% of the total travel demand in the urban areas while consuming only 13% of the total energy consumed by the urban transport system. In contrast, private motorized trips by car and motorcycle account for a 53% share of the total energy demand.³⁰

Photo credit: Siemensongs



These two factors—the increase in private motorization and the relatively higher energy consumption of private vehicles—are clearly reflected in the increase in transport related CO₂ emissions: 5.2-fold since 1989, with a further doubling projected by 2025. Likewise, PM₁₀ emissions increased about 4.5-fold since 1989 and today's concentrations alarmingly exceed the air quality guidelines set by both the WHO (50 µg/m³) and the National Ambient Air Quality Standards of the US Environmental Protection Agency (150 µg/m³).³¹ The resulting health impacts are worse in winters due to low dispersion. Transport related air pollution causes 1,600–1,900 premature deaths in the valley each year.³²

In the Kathmandu Valley, the transport sector is responsible for about a third of the total CO₂ emissions from fuel combustion, and vehicle emissions account for 38% of total PM₁₀ emissions.³³ Thus moving to a low emission urban transport system is an important component of the fight against air pollution.

A 2005 survey compared five alternative policy scenarios with a business as usual scenario, and concluded that a comprehensive low carbon policy package was needed to address the nexus of increased motorized travel demand and transport related air pollution in the Kathmandu Valley.

The measures proposed in the policy package include:

- shift to low carbon public transport with a 65% trip share by 2025, with public transport comprising 80% of high occupancy vehicles
- gradually enforce Euro 2 emission standards and reduce sulfur content in gasoline and diesel to 500 ppm
- gradually convert all three-wheelers from gasoline powered to electric powered by 2025
- reduce population growth by 10% by 2025 (compared with business as usual) while promoting urban density over urban sprawl
- improve passenger comfort on public transport.³⁴

Estimates suggest that these measures together would cut CO₂ emissions by 20% and reduce PM₁₀ emissions 47% by 2025 compared with business as usual.³⁵ If nearly 145,000 vehicles (26%) are off the roads by 2025, energy consumption by the urban transport sector will fall by 18%.³⁶ For instance, shifting 1 km traveled by private motorized vehicles to low occupancy public transport (minibuses) would result in a 36% reduction in PM₁₀ emissions. Choosing high occupancy public transport (buses) instead of low occupancy modes would decrease CO₂ emissions per kilometer traveled by 77%.³⁷

Reducing the PM₁₀ concentration in Kathmandu Valley to a level that meets international health standards could reduce acute childhood bronchitis by 135,475 cases; avoid half a million asthma attacks; and cut chronic bronchitis by 4,304 cases,³⁸ bringing massive economic savings of US\$21 million for the nation, along with a major improvement in quality of life.³⁹

Conclusion

Pursuing the local priority of fighting urban air pollution also addresses the global goal of mitigating climate change.⁴⁰ By introducing solutions that support low carbon mobility and travel behavior, people's exposure to traffic related air pollution can be reduced significantly. The synergy between sustainable urban mobility and air quality means that low carbon transport presents a case for local leaders to ensure healthy development for their citizens, savings on healthcare costs, and contributions to both the environmental health of cities, and climate change mitigation and adaptation.

Notes

1. Li, Y. and Crawford-Brown, D.J. (2011) 'Assessing the co-benefits of greenhouse gas reduction: health benefits of particulate matter related inspection and maintenance programs in Bangkok, Thailand.' *Science of the Total Environment* 409(10): 1774–1785.
2. IGSD (2013) *Primer on short-lived climate pollutants*. Washington, DC: Institute for Governance & Sustainable Development; World Bank (2013) 'Managing Nepal's urban transition.' Washington, DC: World Bank.
3. IPCC (2007) *Climate Change 2007: Working Group III: Mitigation of Climate Change*. Intergovernmental Panel on Climate Change; Bond et al. (2013) 'Bounding the role of black carbon in the climate system: A scientific assessment.' *Journal of Geophysical Research* 118(11): 5380–5552.
4. Bond et al. (2013) Op. cit.; World Bank (2014a) *Reducing black carbon emissions from diesel vehicles: Impacts, control strategies, and cost-benefit analysis*. Washington DC: World Bank.
5. UNEP and WMO (2011) *Integrated assessment of black carbon and tropospheric ozone: Summary for decision makers*. Nairobi and Geneva: United Nations Environment Programme and World Meteorological Organization.
6. EEA (2010) *Contribution of transport to air quality*. Copenhagen: European Environment Agency.
7. Xia, T., Nitschke, M., Zhang, Y., Shah, P., Crabb, S. and Hansen, A. (2015) 'Traffic-related air pollution and health co-benefits of alternative transport in Adelaide, South Australia.' *Environment International* 74: 281–290.
8. World Bank (2013b) *Integration of short-lived climate pollutants in World Bank activities*. Report prepared at the request of the G8. Washington, DC: World Bank.
9. EPA (2012) *Report to Congress on black carbon*. Research Triangle Park, NC: Environmental Protection Agency.
10. Newman, N.C., Ryan, P.H., Huang, B., Beck, A.F., Sauers, H.S. and Kahn, R.S. (2014) 'Traffic-related air pollution and asthma hospital readmission in children: a longitudinal cohort study.' *Journal of Pediatrics* 164(6): 1396–1402.
11. Figure 1 adapted from Peach (2011) Op. cit.; GIZ (2011) Op. cit.; Sootfree for the Climate (2011) Op. cit.; Wong, R. (2014) 'Seven ways cities around the world are tackling traffic.' World Economic Forum 31 July.
12. Eliasson, J. (2008) 'Lessons from the Stockholm congestion charging trial.' *Transport Policy* 15(6): 395–404; Börjesson, M., Eliasson, J., Hugosson, M.B. and Brundell-Freij, K. (2012) 'The Stockholm congestion charges – 5 years on. Effects, acceptability and lessons learnt.' *Transport Policy* 20: 1–12.
13. Swedish Transport Agency (2015) 'On 1 January 2016, congestion taxes in Stockholm will be raised and congestion tax will be levied on Essingeleden.' Stockholm: Swedish Transport Agency.
14. Peach, J. (2011) 'The success of Stockholm's congestion pricing solution.' ThisBigCity Blog 23 August; Börjesson et al. (2012) Op. cit.
15. GIZ (2011) *Reducing carbon emissions through transport demand management strategies: A review of international examples*. Beijing: GIZ China.
16. Sootfree for the Climate (2011) 'City ranking: Stockholm.' Soot-free for the Climate! Campaign and Clean Air life+ project.
17. Ibid.
18. Forsberg, B., Burman, L. and Johansson, C. (2006). 'Stockholmsförsöket har folkhälsopotential.' *Läkartidningen* 50: 4043–4045.
19. GIZ (2011) Op. cit.
20. Ibid.; Peach (2011) Op. cit.
21. Eliasson (2008) Op. cit.; GIZ (2011) Op. cit.
22. UNCTAD (2005) *Statistical profiles of the least developed countries 2005*. Geneva: United Nations Conference on Trade and Development; World Bank (2014b) *Nepal: World Development Indicators*. Washington, DC: World Bank.
23. World Bank (2013) Op. cit.
24. Muzzini, E. and Aparicio, G. (2013) *Urban growth and spatial transition: An initial assessment Nepal*. Washington, DC: World Bank; WHO (2014) *Ambient (outdoor) air pollution in cities database 2014*. Geneva: World Health Organization.
25. WHO (2014) Op. cit.; WHO (2006) *WHO air quality guidelines for particulate matter, ozone, nitrogen dioxide and sulfur dioxide - Global update 2005 - Summary of risk assessment*. Geneva: World Health Organization.
26. Dhakal, S. (2006) *Urban transportation and the environment in Kathmandu Valley, Nepal*. Hayama, Japan: Institute for Global Environmental Strategies.
27. Ibid.
28. CEN and CANN (2014) *Air quality status and management in Kathmandu Valley: Make the city air breathable*. MaYA Fact Sheet #5. Kathmandu: Clean Energy Nepal and Clean Air Network Nepal.

29. IGES (2007) *Air pollution control in the transportation sector: Third phase research report of the Urban Environmental Management Project*. Kanagawa, Japan: Institute for Global Environmental Strategies.
30. IGES (2007) Op. cit.
31. WHO (2006) Op. cit.; EPA (2012) *National Ambient Air Quality Standards (NAAQS)*. Washington, DC: US Environmental Protection Agency; Dhakal (2006) Op. cit.; IGES (2007) Op. cit.
32. NHRC and WHO (2009) Situation analysis of environmental health in Nepal. Kathmandu: Nepal Health Research Council; Adhikari, N. (2012) *Measuring the health benefits from reducing air pollution in Kathmandu Valley*. SANDEE Working Paper No. 69-12. Kathmandu: South Asian Network for Development and Environmental Economics.
33. Dhakal (2006) Op. cit.; CEN and CANN (2014) Op. cit.
34. Dhakal (2006) Op. cit.
35. Ibid.
36. IGES (2007) Op. cit.
37. Dhakal (2006) Op. cit.
38. CEN and ENPHO (2003) *Health impacts of Kathmandu's air pollution*. Kathmandu: Clean Energy Nepal and Environment and Public Health Organization.
39. CEN and CANN (2014) Op. cit.
40. IGES (2007) Op. cit.

The **LEDS GP Transport Working Group** provides technical assistance, tools, and training for LEDS in transport systems.

The group works to:

- share approaches and practices for transport and land use planning
- provide transport analysis methods and tools
- offer peer to peer, transport-specific financial training and expert assistance.

Contact: transport@ledsgp.org

The **Low Emission Development Strategies Global Partnership (LEDS GP)** was founded in 2011 to enhance coordination, information exchange, and cooperation among countries and international programs working to advance low emission, climate resilient growth. LEDS GP currently brings together LEDS leaders and practitioners from more than 160 countries and international institutions through innovative peer to peer learning and collaboration via forums and networks. For the full list of participants and more information on partnership activities, see www.ledsgp.org

This document is from the LEDS GP; a global program for which the United States National Renewable Energy Laboratory (NREL) and the Climate and Development Knowledge Network (CDKN) serve as the Secretariat. NREL is a national laboratory of the U.S. Department of Energy, Office of Energy Efficiency and Renewable Energy, operated by the Alliance for Sustainable Energy LLC. CDKN is a program funded by the UK Department for International Development (DFID) and the Netherlands Directorate-General for International Cooperation (DGIS) for the benefit of developing countries; with further funding from the United States Department of State for the co-management of the Low-Emission Development Strategies Global Partnership (LEDS GP). The views expressed and information contained in it are not necessarily those of, or endorsed by, DFID, DGIS, the US Department of State, NREL, US Department of Energy, or the entities managing the delivery of CDKN, which can accept no responsibility or liability for such views, completeness or accuracy of the information or for any reliance placed on them. This publication has been prepared for general guidance on matters of interest only, and does not constitute professional advice. You should not act upon the information contained in this publication without obtaining specific professional advice. No representation or warranty (express or implied) is given as to the accuracy or completeness of the information contained in this publication, and, to the extent permitted by law, the entities managing the delivery of CDKN and NREL do not accept or assume any liability, responsibility or duty of care for any consequences of you or anyone else acting, or refraining to act, in reliance on the information contained in this publication or for any decision based on it.